	•/	
٠	ĸ	
١	ゾ	

•	Application No.	Applicant(s)		
	09/703,430	CHO ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Frank Duong	2666		
	Trank Duong	2000		
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS		
1. This communication is responsive to <u>10/20/05</u> .				
2. X The allowed claim(s) is/are 1, 3-4, 7, 12-13 (now 1-5 accor	<u>dingly)</u> .			
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents.</li> </ul>	been received. been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be subm	IENT of this application. itted. Note the attached EXAMINER'	S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which give	., .	tion is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) hereto or 2) to Paper No./Mail Date		AFFI a patient of		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawir he header according to 37 CFR 1.121(d	ngs in the front (not the back) of d).		
6. DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL n FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the AL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat			
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		nent/Comment		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	<ol> <li>8.</li></ol>	ent of Reasons for Allowance		
	3. 🗀 Otilei	methros		
•		FRANK DUONG PRIMARY EXAMINER		

Application/Control Number: 09/703,430 Page 2

Art Unit: 2666

## **DETAILED ACTION**

1. This Office Action is a response to communications dated 10/20/05. Claims 1, 3-4, 7 and 12-13 are pending in the application.

## **Drawings**

2. The drawings were received on 10/20/05. These drawings are approved.

## Allowable Subject Matter

- 3. Claims 1, 3-4, 7 and 112-13 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: The prior art of record, considered individually or in combination, fails to fairly show or suggest the claimed bit rate detection circuit, comprising, among other limitations, a novel and unobvious limitation of "logic circuitry responsively coupled to said shift registers and configured to provide an output signal indicative of the data rate by detecting a first pattern or 1010 or 0101 in first selected bits in the framing bytes in the shift registers, detecting a second pattern of 101 or 010 in second selected bits in the framing bytes in the shift registers, detecting a third pattern of 1001 or 0110 in third selected bits in the framing bytes in the shift registers, and setting the value of the output signal to indicate the first, second or third rate in dependence upon which of the first, second and third patterns are detected", structurally and functionally interconnected with other limitations in a manner as recited in the claims.

Application/Control Number: 09/703,430 Page 3

Art Unit: 2666

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank Duong whose telephone number is 571-272-3164. The examiner can normally be reached on 7:00AM-3:30PM, Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema S. Rao can be reached on 571-272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 09/703,430

Art Unit: 2666

December 11, 2005

Page 4